

Average Yield by Variety for Risk Zone 2

(Minimum of 400 acres and 2 producers reported)

| | | | Crop Year | | | | | | | | | |
|-----------------|--------------|--------|-----------|-------|--------|-------|--------|-------|--------|-------|---------|-------|
| | | | 2016 | | 2017 | | 2018 | | 2019 | | 2020 | |
| Crop | Variety | 5 year | Bu | | Bu | | Bu | | Bu | | Bu | |
| | | Avg Bu | Acres | Yield | Acres | Yield | Acres | Yield | Acres | Yield | Acres | Yield |
| Barley | CHAMPION | 57.4 | 829 | 62.2 | 739 | 50.4 | . | . | 871 | 57.2 | 1,098 | 58.7 |
| | CONNECT AAC | 100.7 | . | . | . | . | . | . | . | . | 1,400 | 100.7 |
| | COPELAND CDC | 78.1 | 3,063 | 92.0 | 4,169 | 65.0 | 2,997 | 78.2 | 5,003 | 75.1 | 3,756 | 85.2 |
| | COWBOY CDC | 45.4 | . | . | 465 | 30.1 | . | . | . | . | 1,197 | 51.3 |
| | METCALFE AC | 55.0 | 1,936 | 56.4 | 2,726 | 44.5 | 3,452 | 52.3 | 2,613 | 57.1 | 3,802 | 62.8 |
| | SYNERGY AAC | 85.9 | . | . | . | . | . | . | 2,420 | 90.9 | 3,823 | 82.7 |
| Canola/Rapeseed | DKTF 96 SC | 35.8 | . | . | . | . | . | . | . | . | 1,230 | 35.9 |
| | L233P | 36.8 | . | . | 16,469 | 26.3 | 56,365 | 39.5 | 82,525 | 34.6 | 102,032 | 38.7 |
| | L252 | 35.3 | 23,764 | 40.0 | 18,783 | 27.0 | 9,411 | 39.1 | 4,792 | 36.8 | 2,655 | 36.0 |
| | L345PC | 41.0 | . | . | . | . | . | . | . | . | 8,514 | 41.0 |
| | L352C | 28.8 | . | . | . | . | . | . | . | . | 422 | 28.8 |
| | P501L | 34.5 | . | . | . | . | . | . | 635 | 39.8 | 1,802 | 32.7 |
| | 45CM39 | 28.0 | . | . | . | . | . | . | 1,626 | 25.1 | 2,407 | 30.0 |
| | 45H33 | 27.3 | 3,837 | 35.0 | 3,575 | 14.1 | 1,520 | 34.9 | . | . | 1,231 | 32.0 |
| | 45M35 | 30.8 | . | . | 4,439 | 18.8 | 3,586 | 35.8 | 6,717 | 30.4 | 9,345 | 34.9 |
| | 6074 RR | 26.2 | . | . | . | . | . | . | . | . | 843 | 26.2 |
| 75- 65 RR | 29.9 | 3,485 | 36.1 | 2,785 | 22.3 | 3,688 | 27.6 | 4,557 | 32.4 | 2,589 | 28.8 | |
| Field Peas | AMARILLO CDC | 38.9 | 899 | 35.1 | 6,369 | 32.4 | 9,633 | 36.8 | 12,556 | 37.2 | 14,596 | 44.9 |
| | CARVER AAC | 43.7 | . | . | . | . | . | . | 3,995 | 39.3 | 3,704 | 48.5 |
| | DAKOTA CDC | 54.1 | . | . | . | . | . | . | . | . | 1,635 | 54.1 |
| | GOLDEN CDC | 32.6 | 13,184 | 34.6 | 5,472 | 21.0 | 5,699 | 36.5 | 2,738 | 35.0 | 2,445 | 36.2 |
| | LIMERICK CDC | 43.4 | 1,150 | 42.4 | . | . | . | . | 856 | 48.5 | 3,997 | 42.7 |
| | MEADOW CDC | 39.9 | 4,415 | 37.7 | 1,961 | 25.2 | 1,202 | 33.9 | 5,728 | 41.7 | 4,295 | 48.1 |
| | MOSAIC CDC | 28.8 | . | . | . | . | . | . | 3,216 | 24.6 | 907 | 43.6 |
| | RAEZER CDC | 41.9 | 596 | 43.1 | . | . | . | . | 3,707 | 44.5 | 8,293 | 40.7 |
| | SAFFRON CDC | 29.3 | . | . | 1,129 | 28.1 | 1,107 | 19.2 | 617 | 25.1 | 1,128 | 42.8 |
| STRIKER CDC | 38.2 | 8,621 | 39.9 | 5,329 | 32.6 | 3,368 | 44.5 | 2,561 | 32.7 | 1,634 | 43.4 | |
| Flax | BETHUNE CDC | 19.5 | 9,097 | 24.4 | 10,124 | 14.7 | 6,172 | 22.1 | 6,379 | 15.1 | 2,040 | 27.9 |

*Saskatchewan Crop Insurance Corporation does not assume responsibility for, and have not verified the accuracy of the information reported by producers. Only yields that are greater than zero are used for calculating yields by variety.

Average Yield by Variety for Risk Zone 2

(Minimum of 400 acres and 2 producers reported)

| | | | Crop Year | | | | | | | | | |
|-------------------------|----------------|--------|-----------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| | | | 2016 | 2017 | | 2018 | | 2019 | | 2020 | | |
| Crop | Variety | 5 year | Bu | | Bu | | Bu | | Bu | | Bu | |
| | | Avg Bu | Acres | Yield | Acres | Yield | Acres | Yield | Acres | Yield | Acres | Yield |
| Flax | GLAS CDC | 19.2 | . | . | . | . | 472 | 14.5 | 7,361 | 15.4 | 4,928 | 25.3 |
| | OMEGA | 20.6 | 1,629 | 28.2 | 3,309 | 14.0 | . | . | . | . | 1,445 | 27.3 |
| | SORREL CDC | 19.6 | 15,303 | 25.4 | 13,545 | 14.3 | 11,219 | 23.4 | 14,642 | 13.6 | 4,756 | 25.0 |
| | VIMY | 19.0 | 1,221 | 22.1 | 1,813 | 12.5 | . | . | . | . | 1,405 | 24.9 |
| IP Canola/Rapeseed | 1026RR NEXERA | 36.9 | . | . | . | . | . | . | . | . | 616 | 36.9 |
| | 1028 RR | 33.2 | . | . | . | . | . | . | . | . | 2,003 | 33.2 |
| Mustard - Yellow | ANDANTE | 17.7 | 2,712 | 19.7 | 947 | 12.8 | 1,027 | 17.7 | 1,031 | 11.4 | 2,659 | 19.9 |
| Oats | CAMDEN CS | 121.0 | . | . | . | . | . | . | . | . | 819 | 121.0 |
| Soybean | AKRAS R2 | 20.2 | . | . | 2,290 | 19.6 | . | . | . | . | 866 | 21.8 |
| | ISIS RR | 20.0 | 7,097 | 21.5 | 8,401 | 16.3 | 3,287 | 19.8 | 5,098 | 28.1 | 6,948 | 17.2 |
| | MAHONY R2 | 22.1 | 522 | 34.6 | 1,099 | 14.4 | . | . | . | . | 1,214 | 23.8 |
| | WARREN NSC RR | 20.1 | 709 | 34.3 | 4,181 | 20.0 | 855 | 16.9 | 981 | 18.4 | 510 | 10.1 |
| Wheat - Durum | ALLOY CDC | 57.4 | . | . | . | . | . | . | . | . | 1,330 | 57.4 |
| | BRIGADE | 46.5 | 17,840 | 54.8 | 14,833 | 23.8 | 26,643 | 46.9 | 18,414 | 50.1 | 24,026 | 51.2 |
| | ENTERPRISE | 46.4 | 5,340 | 55.2 | 6,468 | 27.6 | 11,132 | 51.7 | 4,011 | 41.5 | 8,114 | 51.0 |
| | KYLE | 35.5 | 7,064 | 38.3 | 1,035 | 20.1 | 2,888 | 34.1 | 1,391 | 32.9 | 702 | 40.3 |
| | PRECISION CDC | 52.6 | . | . | . | . | 8,310 | 50.6 | 27,074 | 49.5 | 56,679 | 54.4 |
| | SPITFIRE AAC | 49.1 | . | . | 2,020 | 39.0 | 12,064 | 53.2 | . | . | 5,803 | 44.3 |
| | SUCCEED AAC VB | 49.4 | . | . | . | . | . | . | . | . | 650 | 49.4 |
| | TRANSCEND | 40.8 | 11,489 | 48.5 | 20,599 | 24.4 | 35,391 | 41.1 | 25,575 | 46.1 | 25,335 | 45.1 |
| Wheat - Hard Red Spring | VERONA CDC | 49.9 | 15,738 | 59.2 | 11,199 | 40.3 | 2,201 | 47.1 | 1,190 | 29.9 | 1,615 | 43.2 |
| | BRANDON AAC | 46.8 | 4,872 | 39.3 | 6,362 | 39.3 | 12,499 | 50.8 | 42,818 | 44.6 | 29,316 | 51.0 |
| | CARBERRY | 38.3 | 12,692 | 41.8 | 6,316 | 29.4 | 10,015 | 44.3 | 6,109 | 30.4 | 4,006 | 38.2 |
| | CARDALE | 44.1 | 2,534 | 45.2 | 1,201 | 37.9 | . | . | . | . | 665 | 51.2 |
| | LANDMARK CDC | 49.8 | . | . | . | . | 1,467 | 46.8 | 3,806 | 53.2 | 6,242 | 48.4 |
| | NEEPAWA | 12.7 | 863 | 11.3 | . | . | . | . | 996 | 11.6 | 861 | 15.2 |
| | PLENTIFUL CDC | 39.5 | 776 | 38.2 | 794 | 30.4 | 1,178 | 40.6 | 1,689 | 36.4 | 1,529 | 47.4 |

*Saskatchewan Crop Insurance Corporation does not assume responsibility for, and have not verified the accuracy of the information reported by producers. Only yields that are greater than zero are used for calculating yields by variety.

Average Yield by Variety for Risk Zone 2

(Minimum of 400 acres and 2 producers reported)

| Crop | Variety | 5 year Avg Bu Yield | Crop Year | | | | | | | | | |
|-------------------------|----------------|---------------------------|-----------|-------------|-------|-------------|-------|-------------|-------|-------------|-------|-------------|
| | | | 2016 | | 2017 | | 2018 | | 2019 | | 2020 | |
| | | | Acres | Bu Yield | Acres | Bu Yield | Acres | Bu Yield | Acres | Bu Yield | Acres | Bu Yield |
| Wheat - Hard Red Spring | PREVAIL VB AAC | 44.0 | . | . | 4,613 | 42.1 | 7,285 | 49.5 | 4,853 | 41.4 | 2,235 | 35.5 |
| | PRODIGY | 27.0 | 927 | 28.1 | . | . | . | . | . | . | 895 | 25.9 |
| | REDBERRY AAC | 30.8 | . | . | . | . | . | . | . | . | 960 | 30.8 |
| | VESPER | 40.4 | 4,508 | 35.1 | 1,258 | 37.0 | 1,144 | 54.0 | 1,151 | 50.8 | 984 | 40.6 |
| | VIEWFIELD AAC | 45.6 | . | . | . | . | . | . | 3,567 | 56.8 | 8,478 | 40.9 |
| | WASKADA | 28.9 | 1,103 | 24.9 | 785 | 18.8 | 1,243 | 29.2 | 1,438 | 34.9 | 949 | 32.2 |

*Saskatchewan Crop Insurance Corporation does not assume responsibility for, and have not verified the accuracy of the information reported by producers. Only yields that are greater than zero are used for calculating yields by variety.

Average Yield by Variety for Risk Zone 2

(Minimum of 400 acres and 2 producers reported)

| | | | Crop Year | | | | | | | | | |
|-------------------------|-------------------|--------|-----------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| | | | 2016 | | 2017 | | 2018 | | 2019 | | 2020 | |
| Crop | Variety | 5 year | Lb | | Lb | | Lb | | Lb | | Lb | |
| | | Avg Lb | Acres | Yield | Acres | Yield | Acres | Yield | Acres | Yield | Acres | Yield |
| Canary Seed | CANTATE | 1856 | . | . | . | . | . | . | 725 | 1,771 | 1,420 | 1,900 |
| Chickpea - Large Kabuli | LEADER CDC | 1903 | . | . | 697 | 1,237 | 4,182 | 2,167 | 1,522 | 820 | 3,506 | 2,191 |
| Lentils - Large Green | GREENSTAR CDC | 1512 | 616 | 1,334 | . | . | 709 | 1,163 | . | . | 3,291 | 1,620 |
| | IMPOWER CDC CL | 1089 | 7,830 | 1,687 | 9,150 | 588 | 6,713 | 1,056 | 2,118 | 975 | 1,215 | 1,400 |
| | IMPROVE CDC | 1149 | 3,998 | 1,444 | 3,478 | 823 | 4,111 | 1,122 | 1,801 | 960 | 2,481 | 1,315 |
| Lentils - Other | INVINCIBLE CDC CL | 1257 | . | . | 1,006 | 572 | 1,625 | 1,649 | 750 | 1,105 | 615 | 1,531 |
| Lentils - Red | DAZIL CDC | 1228 | 30,514 | 1,359 | 9,545 | 767 | 6,820 | 1,423 | 5,205 | 1,091 | 5,384 | 1,198 |
| | IMAX CL CDC | 1241 | 1,451 | 1,658 | 1,517 | 826 | 1,804 | 1,102 | . | . | 702 | 1,643 |
| | IMPULSE | 1378 | . | . | 1,284 | 1,654 | 3,342 | 1,261 | 2,682 | 941 | 6,724 | 1,557 |
| | KING | 1488 | . | . | 2,045 | 982 | . | . | . | . | 2,305 | 1,938 |
| | MAXIM CDC | 1160 | 13,923 | 1,339 | 8,971 | 811 | 3,707 | 1,475 | 3,806 | 1,055 | 1,962 | 1,106 |
| | PROCLAIM CDC | 1563 | . | . | 5,073 | 976 | 4,588 | 1,647 | 7,626 | 1,568 | 13,709 | 1,751 |

*Saskatchewan Crop Insurance Corporation does not assume responsibility for, and have not verified the accuracy of the information reported by producers. Only yields that are greater than zero are used for calculating yields by variety.